TELEFLEXGEI CONTROL SYSTEMS LP

EXECUTIVE ORDER A-325-0051 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD! YEA		TEST GROUP			VEHICLE TYPE C=passenger car; LDT=light-duty DV=medium-duty vehicle; LVW=i vehicle weight; ALVW=adjusted L	CATEGOR\ vehicle; T ULEV=ultra i	LEV= transitional LE\ .EV; SULEV=super U	sion /:	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)				
2004	40	4G9XT06.06NN			MDV: 5,751-8,500 pounds AL	1) USEPA B 2) Counted	in 8a (Opt) as ARB LEV I SUL	ΞV	120K / *	CNG				
No.		EVAPORATIVE FAMILY (EVAF)			SPECIAL FEAT EMISSION CONTROL					OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S				
1	4G9XR0000000			1	2TWC(2), 2H	O2S(2),	, EGR, SFI, OE	AF	AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/pulsed AIR/SFI= multiport fuel injection/sequential MFI					
2		•					•	Alf						
3		•			•					TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board				
4		•			•					diagnostic prefix 2=parallel (2) suffix=series				
EVAF No.				JECT TO SFTP RE UNDERLINED ABBREVIATIONS: *										
1	1	6.0			GMC Savanna, Chevrolet Express									
*	* *				•									
*	*		•					*						
*	*	* *			*									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET NMOG @ RAF= * AVERAGE [g/mi] CH4 RAF = *				NMOG or	CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day diumal+hot-soak R L [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram												
CERT STD			NMOG NMHC		NMHC	mg≂milligi	am mi=	mile K≖1	000 miles	F=	=degrees F	ahrenheit	SFTP=sup	olemental fe	deral test p	rocedure	
		*	CERT [g/mi]	CERT [g/mi]	[g/mi]	CO	[g/mi]	, NO	x [g/mi]		нсно	[mg/mi]	PM [g		Hwy NC		
L						CERT	STD	CERT	ST	D	CERT	STD	CERT	STD	CERT	STD	
		@ 50K	0.020	*	* 0.125		3.4	0.05	0.1	4	1	15	•	*	0.05	0.19	
		@ UL	0.020	*	0.156	0.6	4.2	0.05	5 0.20		1	18	•.	•	0.05	0.27	
-	@ 50°F		*	*	*	*	*	•	*		*	*	•	•	*	*	
CO [= @ 4K (SULEV, ULEV, EV) or 50K (Tier 1, TLEV)		NMHC+NOx [g/mi] (composite)		CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]			CO [g/mi] [US06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
50			= @ UL (Tier		CERT	STD	CERT	STD	CERT	ST	TD CE	RT STI	CER	T STD	CERT	STD	
CERT	*			SFTP 1	•	*	*	*	*	*	*	*	*	•	*	*	
STD	*			SFTP 2	•	*	*	*	*	•	•	• •	*	•	• •	•	
@ UL	E	VAPORA	ATIVE FAN	IILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RI	_ ORV	R 3-D	2-D	RL	ORVR	
CERT	•	•	•	*		*	*	*	*	*	•	•	•		*	•	
STD	*	•	•	•	*	*	•	*	*	*	*	*	*	*	•	•	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of October 2003.

Allen Lyons, Chief

Mobile Source Operations Division