California Environmental Protection Agency

OB Air Resources Board

WESTPORT DALLAS

Executive Order: A-426-0001-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	FORMAT	ION						
MODE	- 3 T	EST G	ROUP	VEH	HICLE CLASS(E	CLASS(ES)		FUEL CATEGORY			FUEL TYPE			
2016	GB	AFD06	.2CLT		MDV4, MDV5			DEDICATED SINGLE FUEL VEHICLE			COMPRESSED NATURAL GAS			
USEFUL LIFE (miles)					VEHICLE EMISSION CATEGO				ORY INTERIM / INT			ERMEDIATE IN-USE STD		
EXH/ORVR EVAP				FTP			SFTP		FTP		SFTP			
12	120000 *			L	EV2 SULEV	2 SULEV *		i	*		*			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							OBD S		TATUS		ENGINE DISPLACEMENT			
1		2TW	C, 2WR-F	102S, 2HO2	S, SFI		FULL		ALL MODELS		6.2			
*				*			PARTIAL		*					
*				*				ARTIAL WITH *						
			EV	APORATIVE	& REFUELING	(EVA	P/ORVR)	FAMILY	INFORM	ATION				
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO									SSION STD E CLASS		SPECIAL FEATURES			
GBAFR0000001					*		*				*			
				**************************************	EMISSION CF	REDIT	INFORM	ATION						
ALLOWANCE FOR TEST GROUP							NMOG CREDIT FO					OPTIONAL EXH		
BASELINE PZEV AT PZEV					TZEV	NC	NON-PZEV ZERO-EV		/AP DOR		TRUCKS			
* *					*		N			N		N		
-				NM	OG AND FLEET	AVE	RAGE IN	FORMAT	ION					
NMOG RAF	CH4 RAF	NIMO(2/NIMH()		HCHO/NMHC RATIO NMOG+NOX LDT (3751 LVV + MDPV		/W-8	1-8500 GVW) MDV		IMOG+NOX FLEET STI IDV (8501-10000 GVWF (g/mi)					
*	*	1.4 *				*			*		*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

California Environmental Protection Agency Air Resources Board

WESTPORT DALLAS INC.

Executive Order: A-426-0001-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of April 2016.

This Executive Order hereby cancels and supersedes Executive Order A-426-0001 dated November 20, 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

WESTPORT DALLAS INC.

Executive Order: A-426-0001-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4.

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

		-				-				-	-	CERTI	-				
	FUE	FUEL TYPE		H4: met onoxide justme RVR [g	thane e, NC nt fac HC/g	e; NMO ex: oxide etor; 2D gallon d	G: non-Ces of nitr HS/3DH ispense	CH4 orga ogen; Ho S [g HC/ d]: on-bo	nic ga CHO: 'test]: ard re	as; HC: h formalde 2/3 days fueling	nydrocar ehyde; P s diurnal- vapor rec	bon; NMH M: particu +hot-soak; covery; g: ure; SFTP	C: no late n ; RL [on-CH4 H natter; R g HC/mi] ; mg: mill	IC; CO: ca AF: reactive crunning le igram; mi:	vity oss:	
				NMOG (g/mi)			CO (g/mi)			NOx (g/mi)		HCH (mg/n		_	_	PM (g/mi)	
				CERT	ST	STD	CERT	STD		CERT	STD	CER	r	STD	CERT	STD	
FTP@50	50K *					*	*	*		*	*	*		*	*	*	
FTP@U	_	CNG-EPA		.009	0	.100	1.95	3.2		0.061	0.1	*	1	8	*	0.06	
50°F @4	0°F @4K		* *			*	*	*		*	*	*		*			
										NOx (g/mi)				CO (g/mi)			
					FUEL TYPE			CERT STE		STD	CERT		T STD				
HWFET @ 50K				*					-	*							
HWFET @ UL				CNG-EPA					0.	0.01 0.2			104 C				
20°F @ 50K				*					The state of the s		70	*		*			
			SF	TP EX	HAU	ST EMI	SSION	STANDA	RDS	AND C	ERTIFIC	ATION LE	VEL	S			
0					US06				SC03				COMPOSITE				
	FUEL T	YPE		NMHC+NOx (g/mi)		CO PM (mg/mi)			NMHC+NOx (g/mi)		CO (g/mi)			CO (g/mi)	PM (mg/mi		
@ 4K		*		RT *		*			*		*	*					
W 41				*		*		Ber	,	*				a Parket of the second			
			CERT	RT *		* *			1	r	*	*		*	*		
@ UL	*		STD		*		*	*		1		*		*	*	*	
		В			ing Mgayy					4-2				*		3 3	
		WH	OLE VE	HICLE	EVA	PORA	TIVE EN	IISSION	STAI	NDARDS	S AND C	ERTIFICA	OITA	N LEVEL	S		
						WH	OLE VE	HICLE	EVAP	ORATI	/E TEST	ING					
EVAPORATIVE FAMILY		PUEL TYPE		PE	3DHS (g/te			test) @ UL		2DHS (g/test)				RL (g/mi) @ U		UL	
							TD FEL		CE		STD	FEL		CER	T	STD	
GBAFR0000001			*					* * *						* *			
C	RVR / F	UEL C	ONLY / C	CANIST	TER	BLEED	EVAPO	RATIVE				RDS AND				LS	
EVAPORATIVE FAMILY			OBVD (UEL ONLY EVAP & CANIST							
		E ORVR (g/gal			n) @	FUEL TY		TYPF		HS RIG TEST g/test) @ UL		2DHS RIG TE (g/test) @ U			BLEED CANISTE TEST (g/test) @ 4		
FA.			FUEL TYPE C														

WESTPORT DALLAS INC.

Executive Order: A-426-0001-1

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol (*15%" qasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

2010 MODEL TEAR. VEHICLE MODELO INI ORMATION											
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE			
WESTPORT DALLAS	FORD F-250 BED DELETE	MDV4	6.2	A6	GBAFR000001	1	F	*			

6.2

MDV5

PICKUP

DATTAS

WESTPORT FORD F-250 MDV4 GBAFR0000001 6.2 A6 DALLAS PICKUP WESTPORT FORD F-350 BED MDV4 GBAFR0000001 6.2 A6 1 F DALLAS DELETE WESTPORT FORD F-350 BED MDV5 6.2 A6 GBAFR0000001 1 F DALLAS DELETE FORD F-350 WESTPORT INCOMPLETE MDV4 6.2 GBAFR0000001 A6 1 F DALLAS CHASSIS CAB FORD F-350 WESTPORT INCOMPLETE MDV5 6.2 A6 GBAFR0000001 F 1 DALLAS CHASSIS CAB WESTPORT FORD F-350 MDV4 6.2 GBAFR0000001 A6 1 F DALLAS PICKUP WESTPORT FORD F-350

A6

GBAFR0000001

1

F