California	Environmental	Protection	Agency
	the second s		

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MODE	- I TE	EST G	ROUP	VE	HICLE CLASS(E	S)		FUEL	CATE	GORY		FUEL TYPE		
2016	GB	AFD03	.7CBX		MDV4				ICATED SINGLE FUEL VEHICLE			COMPRESSED NATURAL GAS		
ι	JSEFUL	LIFE	(miles)		VEHICLE EMISS	ION C	ATE	GORY	IN	ITERIM / IN	TERM	EDIAT	E IN-USE STD	
EXH	/ORVR		EVAP		FTP		S	FTP		FTP		SFTP		
12	0000		*	I	EV2 SULEV			*		*			*	
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TAT	US	EN	GINE	DISPLACEMENT (L)	
1		2TW	C, 2WR-H	102S, 2HO	2S, SFI			FULL	AI	L MODELS				
*				*				PARTIAL		*	1	3.7		
*	*						PAI	RTIAL WITH FINES		*				
			EV	APORATIV	E & REFUELING	(EVA	P/OI	RVR) FAMIL	Y INF	ORMATION	1			
EVA	P / ORV	RFAN	AILY	EVAPORA	TIVE STD CATE	GORY		EVAP EM VEHICL			SF	PECIAI	L FEATURES	
G	BAFR00	00001	L		*			* *				*		
					EMISSION CI	REDI	r inf	ORMATION						
	A	LLOW	ANCE FO	R TEST GR	OUP						OPTIONAL EXH. STD FOR WORK			
BASE	LINE PZ	ZEV	AT	PZEV	TZEV				- • •				TRUCKS	
	* * *							N			N		N	
				NN	OG AND FLEET	T AVE	RAG	E INFORMA	TION	1				
NMOG RAF	CH4 RAF	NMC	FTP G/NMHC RATIO				500 (	ET STD NMOG+NO 00 GVW) MDV (8501- ni) (g						
*	*		1.8	*		*			*			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

		Executive Order: A-426-0004
California Environmental Protection Agency	WESTPORT DALLAS	New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	INC.	Medium-Duty Vehicles
e Air Resources board		Page 2 of 4
	1	1

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of May 2016.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency OB Air Resources Board

F

20°F @ 50K

WESTPORT DALLAS INC.

Executive Order: A-426-0004 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

\*

\*

# ATTACHMENT

### EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

	FUEL TYPE		.,								
			OG mi)	C (g/i		NC (g/I			HO /mi)		PM (g/mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CER	T STD
FTP@50K	*	*	. *	*	*	*	*	*	*	*	*
FTP@UL	CNG-EPA	0.005	0.100	1.34	3.2	0.082	0.1	*	8	*	0.06
50°F @4K	*	*	*	*	*	*	*	*	*		
1 Salara and an and	al part in a second sec			-			NOx (g/	mi)		CO (g/	mi)
			FUEL TYP	E		CEI	RT	STD	CER	RT	STD
HWFET @	0°F @4K * WFET @ 50K IWFET @ UL		*	_		*		*	之子。 第一型《近南部	ないた。	
HWFET	DUL		CNG-EPA			0.0	64	0.2			Erstaller Briter

\*

		SF	TP EXHAI	JST EN	ISSION	STANDA	RDS	AND	CERTIFIC	ATION LE	VELS			
					US06	SC03 COI					MPOSITE			
	FUEL TYP	PE	NMHC+N (g/mi)		CO (g/mi)				lC+NOx g/mi)	CO (g/mi)	NMOG+NO (g/mi)	x CO (g/mi)	PM (mg/mi	
@ 4K	K * CERT		*		*	*		*		*				
		STD			*					*			and the second sec	
		CERT	* *		*		*		*	*	*	*		
@ UL	*	STD	*		*	*			*	* .	*	*	*	
		BIN									*	and the second s	一個形式	
		WHOLE VE	HICLE EV	APORA	TIVE E	MISSION	STAN	DAR	DS AND C	ERTIFICA	TION LEVE	LS		
				W	HOLE \	EHICLE	EVAP	ORAT	IVE TEST	ING				
EVAPORATIVE FAMILY		FUEL TY	FUEL TYPE 3DHS (g			g/test) @ UL			IS (g/test)	@ UL	RL (g/mi) @ UL			
			CE	RT	STD	FEL	CEF	RT	STD	FEL	CE	RT	STD	
GBAFT	R0000001	0001 * * * * *					*	*	*		*			
(	ORVR / FUE	LONLY /	ANISTER	BLEE	DEVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CERTIFICA	TION LEV	ELS	
							FU	JEL C	NLY EVA	P & CANIS	STER BLEE	D		
	ORATIVE	ORVR (	g/gallon) (	DL	FUE	FUEL TYPE		3DHS RIG TEST (g/test) @ UL			RIG TEST t) @ UL			
		FUEL TYP	E CERT	STD		_	CE	RT	STD	CERT	STD	CERT	STD	
					1	4			+	-			*	

California Environmental Protection Agency	WESTPORT DALLAS	Executive Order: A-426-0004 New Passenger Cars; Light-Duty Trucks and
Air Resources Board	INC.	Medium-Duty Vehicles Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

## 2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
WESTPORT DALLAS	FORD TRANSIT VAN	MDV4	3.7	A6	GBAFR0000001	1	F	*
WESTPORT DALLAS	FORD TRANSIT WAGON	MDV4	3.7	A6	GBAFR0000001	1	F	*