 CALIFORNIA AIR RESOURCES BOARD	GENERAL MOTORS LLC.	Executive Order: A-009-2192 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
		Page 1 of 5

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION						
MODEL YEAR	TEST GROUP	VEHICLE CLASS(ES)	FUEL CATEGORY		FUEL TYPE	
2020	LGMXD06.6398	MDV5	DEDICATED SINGLE FUEL VEHICLE		GASOLINE	
USEFUL LIFE (miles)		VEHICLE EMISSION CATEGORY		INTERIM / INTERMEDIATE IN-USE STD		
EXH/ORVR	EVAP	FTP	SFTP	FTP	SFTP	
150000	150000	LEV3 ULEV270	LEV3 ULEV (HOT1435 UC (LA92), SC03, FTP TEST CYCLE)	NMOG+NOX AND PM	PM	
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS			OBD STATUS		ENGINE DISPLACEMENT (L)	
1	DFI, 2TWC, 2HO2S (2), TWC		FULL	ALL MODELS	6.6	
*	*		PARTIAL	*		
*	*		PARTIAL WITH FINES	*		
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION						
EVAP / ORVR FAMILY	EVAPORATIVE STD CATEGORY	EVAP EMISSION STD VEHICLE CLASS	SPECIAL FEATURES			
LGMXF016360D	LEV 3 OPTION2 WITH FEL	MDV5	HCT			
LGMXF02176BB	LEV 3 OPTION2 WITH FEL	MDV5	HCT			
LGMXF0223850	LEV 2	MDV5	HCT			
LGMXR021260A	LEV 3 OPTION2 WITH FEL	MDV5	HCT			
EMISSION CREDIT INFORMATION						
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY	NMOG CREDIT FOR NON-PZEV ZERO-EVAP	NMOG CREDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS			
N	N	N	N			
NMOG AND FLEET AVERAGE INFORMATION						
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVW) + MDPV (g/mi)	NMOG+NOX FLEET STD MDV (8501-10000 GVWR) (g/mi)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)
*	*	1.10	*	*	0.228	0.349

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NO_x or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.


BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only); and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 4TH day of June 2019.



Allen Lyons, Chief

Emissions Compliance, Automotive Regulations and Science Division



GENERAL MOTORS
LLC.

Executive Order: A-009-2192
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 5

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

	FUEL TYPE	NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
		FTP@50K	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE-TIER3 E10	0.144	0.270	1.0	4.2	*	*	*	6	0.004	0.010
50°F @4K	*	*	*	*	*	*	*	*	*	*	*

	FUEL TYPE	NMOG+NOx (g/mi)		CO (g/mi)	
		CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-TIER3 E10	0.014	0.270		
20°F @ 50K	*			*	*

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		US06			SC03		COMPOSITE		
			NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
@ UL	GASOLINE-TIER3 E10	CERT	*	*	*	*	*	0.066	0.7	2
		STD	*	*	*	*	*	0.550	6.0	7
		BIN						*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY	FUEL TYPE	WHOLE VEHICLE EVAPORATIVE TESTING						RL (g/mi) @ UL	
		3DHS (g/test) @ UL			2DHS (g/test) @ UL			CERT	STD
		CERT	STD	FEL	CERT	STD	FEL		
LGMXF016360D	GASOLINE-TIER3 E10	0.448	0.600	0.600	0.325	0.600	0.600	0.00	0.05
LGMXF02176BB	GASOLINE-TIER3 E10	0.365	0.600	0.600	0.412	0.600	0.600	0.00	0.05
LGMXF0223850	GASOLINE-TIER3 E10	0.448	1.000	*	0.325	1.250	*	0.00	0.05
LGMXR021260A	GASOLINE-TIER3 E10	0.365	0.600	0.600	0.412	0.600	0.600	0.00	0.05



GENERAL MOTORS
LLC.

Executive Order: A-009-2192
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 5

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL ONLY EVAP & CANISTER BLEED						
				FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K	
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD
LGMXF016360D	*	*	*	GASOLINE-TIER3 E10	*	*	*	*	0.011	0.030
LGMXF02176BB	*	*	*	GASOLINE-TIER3 E10	*	*	*	*	0.018	0.030
LGMXR021260A	GASOLINE-TIER3 E10	0.07	0.20	GASOLINE-TIER3 E10	*	*	*	*	0.018	0.030

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)

EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
LGMXF02176BB	LGMXF02176BB-LK1	*	0.02
LGMXR021260A	LGMXR021260A-LK1	*	0.02
LGMXF016360D	LGMXF016360D-LK1	*	0.02

#: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: medium-duty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZE: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SF/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CHEVROLET	SILVERADO 2500 HD 2WD	MDV5	6.6	A6	LGMXR021260A	1	F
CHEVROLET	SILVERADO 2500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
CHEVROLET	SILVERADO 2500 HD 4WD	MDV5	6.6	A6	LGMXR021260A	1	F
CHEVROLET	SILVERADO 2500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
CHEVROLET	SILVERADO 3500 HD 2WD	MDV5	6.6	A6	LGMXR021260A	1	F
CHEVROLET	SILVERADO 3500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF016360D	1	F
CHEVROLET	SILVERADO 3500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F



GENERAL MOTORS
LLC.

Executive Order: A-009-2192
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 5 of 5

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CHEVROLET	SILVERADO 3500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF0223850	1	F
CHEVROLET	SILVERADO 3500 HD 4WD	MDV5	6.6	A6	LGMXR021260A	1	F
CHEVROLET	SILVERADO 3500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF016360D	1	F
CHEVROLET	SILVERADO 3500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
CHEVROLET	SILVERADO 3500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF0223850	1	F
GMC	SIERRA 2500 HD 2WD	MDV5	6.6	A6	LGMXR021260A	1	F
GMC	SIERRA 2500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
GMC	SIERRA 2500 HD 4WD	MDV5	6.6	A6	LGMXR021260A	1	F
GMC	SIERRA 2500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
GMC	SIERRA 3500 HD 2WD	MDV5	6.6	A6	LGMXR021260A	1	F
GMC	SIERRA 3500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF016360D	1	F
GMC	SIERRA 3500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
GMC	SIERRA 3500 HD 2WD CAB CHAS	MDV5	6.6	A6	LGMXF0223850	1	F
GMC	SIERRA 3500 HD 4WD	MDV5	6.6	A6	LGMXR021260A	1	F
GMC	SIERRA 3500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF016360D	1	F
GMC	SIERRA 3500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF02176BB	1	F
GMC	SIERRA 3500 HD 4WD CAB CHAS	MDV5	6.6	A6	LGMXF0223850	1	F