

NOTICE PUBLICATION/REGULATIONS SUBMISSION

(See instructions on reverse)

For use by Secretary of State only

STD. 400 (REV. 2-91)

REGULAR

AGENCY Air Resources Board

AGENCY FILE NUMBER (if any)

OAL FILE NUMBERS	NOTICE FILE NUMBER	REGULATORY ACTION NUMBER	EMERGENCY NUMBER	PREVIOUS REGULATORY ACTION NUMBER
	295-2502-13	96-0429-015		

For use by Office of Administrative Law (OAL) only

<p>1995 MAY -2 PM 4:40</p> <p>RECEIVED FOR FILING</p> <p>MAY 2 - '95</p> <p>Office of Administrative Law</p> <p>NOTICE</p>	<p>PUBLICATION DATE</p> <p>MAY 12 35</p> <p>REGULATIONS</p>
--	---

A. PUBLICATION OF NOTICE (Complete for publication in Notice Register)

1. TOPIC OF NOTICE	TITLE(S)	FIRST SECTION AFFECTED	2. REQUESTED PUBLICATION DATE
Gasoline Vapor Recovery Systems	17	94010	May 12, 1995
3. NOTICE TYPE	4. AGENCY CONTACT PERSON		TELEPHONE NUMBER
<input checked="" type="checkbox"/> Notice re Proposed Regulatory Action <input type="checkbox"/> Other	James R. Ryden		(916) 322-2884
OAL USE ONLY	ACTION ON PROPOSED NOTICE	NOTICE REGISTER NUMBER	PUBLICATION DATE
<input checked="" type="checkbox"/> ONLY	<input checked="" type="checkbox"/> Approved as Submitted <input type="checkbox"/> Approved as Modified <input type="checkbox"/> Disapproved/Withdrawn	95, 192	5/12/95

B. SUBMISSION OF REGULATIONS (Complete when submitting regulations)

1. SPECIFY CALIFORNIA CODE OF REGULATIONS TITLE(S) AND SECTION(S) (Including title 26, if toxics-related)	
TITLE(S)	ADOPT
17	94010-94015, 94150-94160 and the Incorporated Certification and Test Procedures and Definitions
SECTIONS AFFECTED	AMEND
	94148, 94149 and the Incorporated Test Procedures
	REPEAL
	94000-94004, 94007 and the Incorporated Test Procedures

2. TYPE OF FILING

Regular Rulemaking (Gov. Code, § 11346) Resubmittal Changes Without Regulatory Effect (Cal. Code Regs., title 1, § 100) Emergency (Gov. Code, § 11346.1(b))

Certificate of Compliance: The agency officer named below certifies that this agency complied with the provisions of Government Code §§ 11346.4 - 11346.8 prior to, or within 120 days of, the effective date of the regulations listed above.

Print Only Other (specify)

3. DATE(S) OF AVAILABILITY OF MODIFIED REGULATIONS AND/OR MATERIAL ADDED TO THE RULEMAKING FILE (Cal. Code Regs. title 1, §§ 44 and 45)
September 11, 1995-September 26, 1995; and February 26, 1996-March 12, 1996

4. EFFECTIVE DATE OF REGULATORY CHANGES (Gov. Code § 11346.2)

Effective 30th day after filing with Secretary of State Effective on filing with Secretary of State Effective other (Specify)

5. CHECK IF THESE REGULATIONS REQUIRE NOTICE TO, OR REVIEW, CONSULTATION, APPROVAL OR CONCURRENCE BY, ANOTHER AGENCY OR ENTITY

Department of Finance (Form STD. 399) Fair Political Practices Commission State Fire Marshal N/A

Other (Specify)

6. CONTACT PERSON	TELEPHONE NUMBER
James R. Ryden, Staff Counsel	(916) 322-2884

7. I certify that the attached copy of the regulation(s) is a true and correct copy of the regulation(s) identified on this form, that the information specified on this form is true and correct, and that I am the head of the agency taking this action, or a designee of the head of the agency, and am authorized to make this certification.

SIGNATURE OF AGENCY HEAD OR DESIGNEE	DATE
	4/12/96
TYPED NAME AND TITLE OF SIGNATORY	
Tom Cackette, Chief Deputy Executive Officer	

**ADOPTION, AMENDMENT, AND REPEAL OF REGULATIONS REGARDING
CERTIFICATION PROCEDURES AND TEST PROCEDURES FOR GASOLINE VAPOR
RECOVERY SYSTEMS**

STATE OF CALIFORNIA—OFFICE OF ADMINISTRATIVE LAW

NOTICE PUBLICATION/REGULATIONS SUBMISSION

STD.400 (rev.2-91) – FACE SHEET SUPPLEMENT

**CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY
AIR RESOURCES BOARD**

OAL FILE NUMBER	REGULATORY ACTION NUMBER:
--------------------	---------------------------

B. SUBMISSION OF REGULATIONS

1. SPECIFY CALIFORNIA CODE OF REGULATIONS TITLE(S) (Including Title 26, if toxics-related)

TITLE(S): 17

SECTIONS AFFECTED:

ADOPT: 94010 & Incorporated Document D-200; 94011 & Incorporated Documents CP-201, TP-201.1, TP-201.1A, TP-201.2, TP-201.2A, TP-201.2B, TP-201.2C, TP-201.3, TP-201.3A, TP-201.3B, TP-201.4, TP-201.5, and TP-201.6; 94012 & Incorporated Documents CP-202 and TP-202.1; 94013 & Incorporated Documents CP-203 and TP-203.1; 94014 & Incorporated Documents CP-204, TP-204.1, TP-204.2 and TP-204.3; and 94015 & Incorporated Documents CP-205, TP-205.1 and TP-205.2. 94150 & Incorporated Document TP-201.3; 94151 & Incorporated Document TP-201.3A; 94152 & Incorporated Document TP-201.3B; 94153 & Incorporated Document TP-201.4; 94154 & Incorporated Document TP-201.5; 94155 & Incorporated Document TP-201.6; 94156 & Incorporated Document TP-202.1; 94157 & Incorporated Document TP-203.1; 94158 & Incorporated Document TP-204.1; 94159 & Incorporated Document TP-204.2; and 94160 & Incorporated Document TP-204.3.

AMEND: 94148 & the Incorporated Document TP-201.2B; and 94149 & the Incorporated Document TP-201.2C.

REPEAL: 94000 - 94004, and 94007 and the Incorporated Test Procedures.

FINAL REGULATION ORDER

Repeal Sections 94000, 94001, 94002, 94003, 94004, and 94007, Article 1, Subchapter 8, Chapter 1, Division III, Title 17, California Code of Regulations as follows:

Article 1. Vapor Recovery Systems in Gasoline Marketing Operations

~~94000. Test Procedures for Vapor Recovery Systems - Service Stations:~~

~~———— The test procedures for determining compliance with emission standards for gasoline vapors displaced during the fueling of underground storage tanks and vehicles shall be as set forth in "Test Procedures for Determining the Efficiency of Gasoline Vapor Recovery Systems at Service Stations", adopted on December 9, 1975, as last amended September 1, 1982.~~

~~NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code.~~

~~Reference: Sections 39515, 39516, 39607, 41954, 41959, 41960, and 41960.2, Health and Safety Code.~~

~~94001. Certification of Vapor Recovery Systems - Service Stations:~~

~~———— The certification of gasoline vapor recovery systems at service stations shall be accomplished in accordance with the Air Resources Board's "Certification Procedures for Gasoline Vapor Recovery Systems at Service Stations," adopted on March 30, 1976, as last amended December 4, 1981.~~

~~NOTE: Authority cited: Sections 39600, 39601, and 41954, Health and Safety Code.~~

~~Reference: Sections 39515, 41954, 41959, 41960 and 41960.2, Health and Safety Code.~~

~~94002. Certification of Vapor Recovery Systems - Gasoline Bulk Plants:~~

~~———— Gasoline vapor recovery systems at bulk plant shall be certified in accordance with the Air Resources Board's "Method 202 - Certification and Test Procedures for Vapor Recovery Systems at Bulk Plants," adopted April 18, 1977, as last amended September 12, 1990, which is incorporated herein by reference.~~

~~NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code.~~

~~Reference: Sections 39515, 39607, 41954, 41959, and 41960, Health and Safety Code.~~

~~94003. Certification of Vapor Recovery Systems - Gasoline Terminals:~~

~~———— Gasoline vapor recovery systems at terminals shall be certified in accordance with the Air Resources Board's "Method 203 - Certification and Test Procedures for Vapor Recovery Systems at Gasoline Terminals," adopted on April 18, 1977, as last amended September 12, 1990, which is incorporated herein by reference.~~

~~NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code.~~

~~Reference: Sections 39515, 39607, 41954, 41959, and 41960, Health and Safety Code.~~

~~94004. Certification of Vapor Recovery Systems - Gasoline Delivery Tanks:~~

~~———— Gasoline vapor recovery systems for delivery tanks shall be certified in accordance with the Air Resources Board's "Certification and Test procedures for Vapor Recovery Systems of Gasoline Delivery Tanks," adopted on April 18, 1977, as last amended February 24, 1984.~~

~~NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 and 41962, Health and Safety Code.~~

~~Reference: Sections 39515, 39516, 39607, 41954 and 41962, Health and Safety Code.~~

Revised
6/10/96

~~94007. Test Procedures for Determination of Gasoline Vapor Leaks.~~

~~———— The test procedures for detecting gasoline vapor leak emissions from delivery tanks during loading and from vapor recovery equipment at gasoline terminals and gasoline bulk plants shall be as set forth in the Air Resources Board's "Test Procedures for Gasoline Vapor Leak Detection Using Combustible Gas Detector", adopted September 1, 1982.~~

~~NOTE: Authority cited: Sections 39600, 39601, 39607 and 41962, Health and Safety Code.
Reference: Sections 39515, 39516, 39607, 41954 and 41962, Health and Safety Code.~~

Adopt new Sections 94010 through 94015, Article 1, Subchapter 8, Chapter 1, Division III, Title 17, California Code of Regulations as follows:

94010. Definitions.

The definitions of common terms and acronyms used in the certification and test procedures specified in Sections 94011, 94012, 94013, 94014, and 94015 are listed in D-200, "Definitions for Certification Procedures and Test Procedures for Vapor Recovery Systems", adopted April 12, 1996, which are incorporated herein by reference.

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954, Health and Safety Code. Reference: Sections 39515, 41954, 41959, 41960 and 41960.2, Health and Safety Code.

94011. Certification of Vapor Recovery Systems of Dispensing Facilities.

The certification of gasoline vapor recovery systems at dispensing facilities (service stations) shall be accomplished in accordance with the Air Resources Board's CP-201, "Certification Procedure for Vapor Recovery Systems of Dispensing Facilities" which is herein incorporated by reference. (adopted; on March 30, 1976, as last amended [April 12, 1996]).

The following test procedures (TP) cited in CP-201 are also incorporated by reference.

TP-201.1 - "Determination of Efficiency of Phase I Vapor Recovery Systems of Dispensing Facilities without Assist Processors" (Adopted: [April 12, 1996])

TP-201.1A - "Determination of Efficiency of Phase I Vapor Recovery Systems of Dispensing Facilities with Assist Processors" (Adopted: [April 12, 1996])

TP-201.2 - "Determination of Efficiency of Phase II Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.2A - "Determination of Vehicle Matrix for Phase II Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.2B - "Determination of Flow vs. Pressure for Equipment in Phase II Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.2C - "Determination of Spillage of Phase II Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.3 - "Determination of 2 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.3A - "Determination of 5 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.3B - "Determination of Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities with Above-Ground Storage Tanks" (Adopted: [April 12, 1996])

TP-201.4 - "Determination of Dynamic Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.5 - "Determination (by Volume Meter) of Air to Liquid Volume Ratio of Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

TP-201.6 - "Determination of Liquid Removal of Phase II Vapor Recovery Systems of Dispensing Facilities" (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954, Health and Safety Code.
Reference: Sections 39515, 41954, 41959, 41960 and 41960.2, Health and Safety Code.

94012. Certification of Vapor Recovery Systems for Gasoline Bulk Plants.

The certification of gasoline vapor recovery systems at bulk plants shall be accomplished in accordance with the Air Resources Board's CP-202 "Certification Procedure for Vapor Recovery Systems of Bulk Plants" which is incorporated herein by reference. (Adopted: [April 12, 1996])

The following test procedure (TP) cited in CP-202 is also incorporated by reference.

TP-202.1 - "Determination of Emission Factor of Vapor Recovery Systems of Bulk Plants" (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code.
Reference: Sections 39515, 39607, 41954, 41959, and 41960, Health and Safety Code.

94013. Certification of Vapor Recovery Systems for Gasoline Terminals.

The certification of gasoline vapor recovery systems at terminals shall be accomplished in accordance with the Air Resources Board's CP-203 "Certification Procedure for Vapor Recovery Systems of Terminals" which is incorporated herein by reference. (Adopted: [April 12, 1996]).

The following test procedure (TP) cited in CP-203 is also incorporated by reference.

TP-203.1 - "Determination of Emission Factor of Vapor Recovery Systems of Terminals" (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code.
Reference: Sections 39515, 39607, 41954, 41959, and 41960, Health and Safety Code.

94014. Certification of Vapor Recovery Systems for Cargo Tanks.

The certification of gasoline vapor recovery systems for cargo tanks shall be accomplished in accordance with the Air Resources Board's CP-204 "Certification Procedure for Vapor Recovery Systems of Cargo Tanks" which is incorporated herein by reference. (Adopted: April 18, 1977, as last amended [April 12, 1996]).

The following test procedures (TP) cited in CP-204 are also incorporated by reference.

TP-204.1 - "Determination of Five Minute Static Pressure Performance of Vapor Recovery Systems of Cargo Tanks" (Adopted: [April 12, 1996])

TP-204.2 - "Determination of One Minute Static Pressure Performance of Vapor Recovery

Systems of Cargo Tanks" (Adopted: [April 12, 1996])

TP-204.3 - "Determination of Leak(s)" (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 and 41962, Health and Safety Code.
Reference: Sections 39515, 39516, 39607, 41954, 41962, Health and Safety Code.

94015. Certification of Vapor Recovery Systems for Novel Facilities.

The certification of gasoline vapor recovery systems for novel facilities shall be accomplished in accordance with the Air Resources Board's CP-205 "Certification Procedure for Vapor Recovery Systems of Novel Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996]).

The following test procedures (TP) cited in CP-205 are also incorporated by reference.

TP-205.1 - "Determination of Efficiency of Phase I Vapor Recovery Systems of Novel Facilities" (Adopted: [April 12, 1996])

TP-205.2 - "Determination of Efficiency of Phase II Vapor Recovery Systems of Novel Facilities" (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39607, 41954, and 41962 Health and Safety Code.

Amend Sections 94148 and 94149, Article 2, Subchapter 8, Chapter 1, Division III, Title 17, California Code of Regulations as follows:

94148. ~~Method 202 - Vapor Recovery Systems at Gasoline Bulk Plants~~ Test Method for Determining Flow versus Pressure Relationship in Phase II Gasoline Vapor Recovery Systems of Dispensing Facilities

~~The test method for determining compliance with district emission limitations for vapor recovery systems at gasoline bulk plants flow versus pressure relationship for Phase II gasoline vapor recovery system of dispensing facilities is set forth in the Air Resources Board's "Method 202 - Certification and Test Procedures for Vapor Recovery Systems at Bulk Plants," as last amended September 12, 1990 TP-201.2B, "Determination of Flow vs Pressure for Equipment in Phase II Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996]).~~

NOTE: Authority cited: Sections 39600, 39601, and 39607, and 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

94149. ~~Method 203 - Vapor Recovery Systems at Gasoline Terminals~~ Test Method for Determining Gasoline Vapor Emissions from Spillage of Phase II Vapor Recovery Systems of Dispensing Facilities.

~~The test method for determining gasoline vapor emissions from spillage of Phase II vapor recovery system of dispensing facilities compliance with district emissions limitations for vapor recovery systems at gasoline terminals is set forth in the Air Resources Board's "Method 203 - Certification and Test Procedures for Vapor Recovery Systems at Gasoline Terminals," as last amended September 12, 1990 TP-201.2C, "Determination of Spillage of Phase II Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996]).~~

NOTE: Authority cited: Sections 39600, 39601, and 39607, and 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Adopt new Sections 94150 through 94158, Article 2, Subchapter 8, Chapter 1, Division III, Title 17, California Code of Regulations as follows:

Section 94150. Test Method for Determining 2 Inch WC Static Pressure Performance of Phase II Vapor Recovery Systems for Dispensing Facilities

The test method for determining the 2 inch WC static pressure performance of Phase II vapor recovery system of dispensing facilities is set forth in the Air Resources Board's TP-201.3, "Determination of 2 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94151. Test Method for Determining the 5 inch WC Static Pressure Performance of Phase II Vapor Recovery Systems of Dispensing Facilities

The test method for determining the 5 inch WC static pressure performance of Phase II vapor recovery systems of dispensing facilities is set forth in the Air Resources Board's TP-201.3A "Determination of the 5 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954, and Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94152. Test Method for Determining the Static Pressure Performance of Phase II Vapor Recovery Systems of Dispensing Facilities with Above-Ground Storage Tanks

The test method for determining the static pressure performance of Phase II vapor recovery systems of dispensing facilities with above-ground storage tanks is set forth in the Air Resources Board's TP-201.3B "Determination of the Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities with Above-Ground Storage Tanks" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94153. Test Method for Determining the Dynamic Pressure Performance of Phase II Vapor Recovery Systems of Dispensing Facilities

The test method for determining the dynamic pressure performance of Phase II vapor recovery systems of dispensing facilities with above-ground storage tanks is set forth in the Air Resources Board's TP-201.4 "Determination of Dynamic Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94154. Test Method for Determining (by Volume Meter) of Air to Liquid Volume Ratio of Phase II Gasoline Vapor Recovery Systems of Dispensing Facilities

The test method for determining the air to liquid volume ratio of Phase II gasoline vapor recovery systems of dispensing facilities is set forth in the Air Resources Board's TP-201.5, "Determination (by Volume Meter) of Air to Liquid Volume Ratio of Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94155. Test Method for Determining Liquid Blockage of Phase II Vapor Recovery Systems at Dispensing Facilities

The test method for determining the liquid blockage of Phase II vapor recovery system is set forth in the Air Resources Board's TP-201.6, "Determination of Liquid Removal of Phase II Vapor Recovery Systems of Dispensing Facilities" which is incorporated herein by reference. (Adopted: [April 12, 1996]).

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94156. Test Method for Determining Gasoline Vapor Emissions of Vapor Recovery Systems at Bulk Plants

The test method for determining gasoline vapor emissions of vapor recovery systems at bulk plants is set forth in the Air Resources Board's TP-202.1, "Determination of Emission Factor of Vapor Recovery Systems of Bulk Plants" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 Health and Safety Code.
Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94157. Test Method for Determining Gasoline Vapor Emissions of Vapor Recovery Systems at Terminals

The test method for determining gasoline vapor emissions of vapor recovery systems at terminals is set forth in the Air Resources Board's TP-203.1, "Determination of Emission Factor of Vapor Recovery Systems of Terminals" which is incorporated herein by reference. (Adopted: [April 12, 1996]).

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954 Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94158. Test Method for Determining Five Minute Static Test Pressure Performance for Vapor Recovery Systems on Cargo Tanks

The test method for determining the five minute static pressure performance of vapor recovery system on cargo tank is set forth in the Air Resources Board's TP-204.1, "Determination of Five Minute Static Pressure Performance of Vapor Recovery Systems of Cargo Tanks" which is incorporated herein by reference. (Adopted: [April 12, 1996]).

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954, and 41962 Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94159. Test Method for Determining One Minute Static Test Pressure Performance for Vapor Recovery Systems on Cargo Tanks

The test method for determining the one minute static pressure performance of vapor recovery system on cargo tank is set forth in the Air Resources Board's TP-204.2, "Determination of One Minute Static Pressure Performance of Vapor Recovery Systems of Cargo Tanks" which is incorporated herein by reference. (Adopted: [April 12, 1996]).

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954, and 41962 Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.

Section 94160. Test Method for Determining Leaks During the Loading of Cargo Tanks

The test method for determining leaks during the loading of cargo tanks is set forth in the Air Resources Board's TP-204.3 "Determination of Leaks" which is incorporated herein by reference. (Adopted: [April 12, 1996])

NOTE: Authority cited: Sections 39600, 39601, 39607, 41954, and 41962 Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001, and 41954 Health and Safety Code.